



健康之源 · 水源美

Healthy Living starts with  
i-water

健康之源 · 水源美





**Model:** FT230-UV, FT230-iw  
**Counter-top Tri-temp Water Dispenser**  
**Hot Tank:** 2.0 L stainless steel tank 700W element  
**Refrigeration:** 1/20 h.p. R-134a compressor  
**Electrical:** 220-240 50Hz ~ 4.1 Amps  
**Dimensions:** 400 W x 390 D x 515 H mm  
**Net Weight :** 14.5 kgs  
**Water Inlet:** 1/4 inch

#### FT230 Series



**FEATURES**  
 - hot / cold / room temperature available  
 - 100 °C boil and re-boil  
 - durable casing resists scratches  
 - childproof safety hot water tap  
 - stainless steel water storage reservoir

**OPTIONAL TREATMENT (remote unit)**  
 - activated carbon filtration for sediment and chlorine removal  
 - ultra-violet lamp sterilization (SUV-30)\*  
 - i-water ultra-fine filtration system

#### FT230 系列

**型號:** FT230-UV, FT230-iw  
**座檯式三溫飲水機**  
**熱水:** 2公升不鏽鋼儲水缸, 700瓦發熱線  
**冰水:** 1/20匹R134a環保型製冷機  
**電量:** 220-240 50Hz ~ 4.1安培  
**尺寸:** 400闊 x 390深 x 515高 毫米  
**淨重:** 14.5公斤  
**來水接駁:** 1/4吋

#### 特式：

- 熱、冰、室溫水可供選擇
- 100 °C煮沸及加熱按鈕
- 耐用易潔外殼，歷久常新
- 兒童防護安全掣
- 不鏽鋼儲水缸

#### 可選擇接駁(外置式)

- 活性碳過濾
- 紫外光消毒 (SUV-30)\*
- iw 精密過濾系統

**Model:** FT250-UV, FT250-iw  
**Counter-top Bi-temp Water Dispenser**  
**Hot Tank:** 2.0 L stainless steel tank (7.5 L/h)  
 450W element  
**Refrigeration:** 1/20 h.p. R-134a compressor  
**Electrical:** 220-240 50Hz ~ 2.8 Amps  
**Dimensions:** 310 W x 310 D x 630 H mm  
**Net Weight:** 15 kgs  
**Water Inlet:** 1/4 inch

#### FT250 Series



**FEATURES**  
 - hot / cold available  
 - recessed temperature knobs  
 - childproof safety hot water tap  
 - durable casing resists scratches  
 - stainless steel water storage reservoir

**OPTIONAL TREATMENT (remote unit)**  
 - activated carbon filtration for sediment and chlorine removal  
 - ultra-violet lamp sterilization (SUV-30)\*  
 - i-water ultra-fine filtration system

#### FT250 系列

**型號:** FT250-UV, FT250-iw  
**座檯式冷熱飲水機**  
**熱水:** 2公升不鏽鋼儲水缸 (7.5公升/小時)  
 450瓦發熱線  
**冰水:** 1/20匹R134a環保型製冷機  
**電量:** 220-240 50Hz ~ 2.8 安培  
**尺寸:** 310闊 x 310深 x 630高 毫米  
**淨重:** 15公斤  
**來水接駁:** 1/4吋

#### 特式：

- 热、冰水可供選擇
- 外置溫度掣，方便調溫
- 兒童防護安全掣
- 耐用易潔外殼，歷久常新
- 不鏽鋼儲水缸

#### 可選擇接駁(外置式)

- 活性碳過濾
- 紫外光消毒 (SUV-30)\*
- iw 精密過濾系統

\* Simply connect SUV sterilizer to water supply. Water flows through a 2-stage filtration for sediment and chlorine removal while the ultra-violet sterilizer purifies water.  
 \* SUV 裝置器可直接接駁自來水，先過濾水中沉積物，再利用活性碳清除化學雜質如氯氣等，然後以消毒紫外光代替煮沸過程徹底殺菌。另備停電故障自動斷水保

Specifications subject to change without prior notice.

## 傳統樽裝水的缺點 DISADVANTAGES OF BOTTLED DISTILLED WATER



■ 價錢昂貴  
Expensive



■ 換樽麻煩  
Tedious to handle



■ 缺乏礦物質  
Absence of minerals



■ 佔用空間  
Occupy large area



■ 運送經常延誤  
Delivery delay



■ 水樽不潔  
Hygienic problem

### FT20SL Series



Model: FT20SL-UV, FT20SL-RO

Floor-stand Slim-line Bi-temp Water Dispenser

Hot Tank: 2.0 L stainless steel tank 450W element

Refrigeration: 1/20 h.p. R-134a compressor

Electrical: 220-240 50Hz ~ 2.2 Amps

Dimensions: 330 W x 310 D x 1130 H mm

Net Weight: 28 kgs

Water Inlet: 1/4 inch

#### FEATURES

- hot / cold available
- stainless steel water storage reservoir
- childproof safety hot water tap
- durable casing resists scratches
- stainless steel water storage reservoir

#### OPTIONAL TREATMENT (built-in unit)

- activated carbon filtration for sediment and chlorine removal
- ultra-violet lamp sterilization (SUV-30)\*
- Reverse Osmosis system

### FT20SL 系列

型號: FT20SL-UV, FT20SL-RO

座地式輕巧型冷熱飲水機

熱水: 2公升不鏽鋼水缸

450瓦發熱線

冰水: 1/20h.p.R134a環保型製冷機

電量: 220-240 50Hz ~ 2.2安培

尺寸: 330寬 x 310深 x 1130高 毫米

淨重: 28公斤

來水接駁: 1/4吋

#### 特式:

- 热、冰水可供選擇
- 不锈钢储水缸
- 兒童防潰保險掣
- 耐用易潔外殼，歷久常新
- 不锈钢储水缸

#### 可選擇接駁 (內置式)

- 活性碳過濾
- 紫外光消毒 (SUV-30)\*
- 反滲透系統

### FT30SL Series



Model: FT30SL-UV, FT30iw-UV

Floor-stand Bi-temp Water Dispenser

Hot Tank: 2.0 L stainless steel tank (7.5 L/h)

450W element

Refrigeration: 1/20 h.p. R-134a compressor

Electrical: 220-240 50Hz ~ 2.8 Amps

Dimensions: 310 W x 310 D x 1040 H mm

Net Weight: 25 kgs

Water Inlet: 1/4 inch

#### FEATURES

- hot / cold available
- recessed temperature knobs
- childproof safety hot water tap
- durable casing resists scratches
- stainless steel water storage reservoir

#### OPTIONAL TREATMENT (built-in unit)

- activated carbon filtration for sediment and chlorine removal
- ultra-violet lamp sterilization (SUV-30)\*
- i-water ultra-fine filtration system

### FT30SL 系列

型號: FT30SL-UV, FT30iw-UV

座地式冷熱飲水機

熱水: 2公升不鏽鋼水缸 (7.5公升/小時)

450瓦發熱線

冰水: 1/20h.p.R134a環保型製冷機

電量: 220-240 50Hz ~ 2.8安培

尺寸: 310寬 x 310深 x 1040高 毫米

淨重: 25公斤

來水接駁: 1/4吋

#### 特式:

- 热、冰水可供選擇
- 外置溫度掣，方便調溫
- 兒童防潰保險掣
- 耐用易潔外殼，歷久常新
- 不锈钢储水缸

#### 可選擇接駁 (內置式)

- 活性碳過濾
- 紫外光消毒 (SUV-30)\*
- iW 精密過濾系統

## 各項功能 FEATURES



### 一級 UV 淨化處理流程 Ultraviolet purification process



### 超精密 iwUV 淨化處理流程 Ultra fine i-water UV purification process



### 反滲透 R.O. 淨化處理流程 Reverse Osmosis purification process



飛達工程貿易有限公司  
FABRI-TECHNIC ENGINEERING & TRADING CO. LTD.

香港北角英皇道677號榮華工業大廈17樓  
17/F, Wing Wah Industrial Building, 677 King's Road, North Point, Hong Kong  
Tel: (852) 2815 8388 Fax: (852) 2815 3223  
Website: www.fabri-technic.com E-mail: enquiry@fabri-technic.com